



## Safety Data Sheet Grit King Hand Cleaner

---

### SECTION 1: Identification

#### 1.1 Product identifier

Product name	Grit King Hand Cleaner
Product number	10B18C, 10B18E
Brand	PIC

#### 1.2 Other means of identification

No data available.

#### 1.3 Recommended use of the chemical and restrictions on use

No data available.

#### 1.4 Supplier's details

Name	PIC
Address	4408 Glenview Dr Haltom City, TX 76117 USA
Telephone	800-359-8031
Fax	817-281-1659
email	info@picdfw.com

#### 1.5 Emergency phone number(s)

Infotrac: 1-800-535-5053, 24 hr

---

### SECTION 2: Hazard identification

#### General hazard statement

Not applicable

#### 2.1 Classification of the substance or mixture

##### GHS classification in accordance with OSHA (29 CFR 1910.1200)

- Eye damage/irritation (chapter 3.3), Cat. 1
- Sensitization, respiratory (chapter 3.4), Cat. 1
- Sensitization, skin (chapter 3.4), Cat. 1
- Skin corrosion/irritation (chapter 3.2), Cat. 2
- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3
- Flammable liquids (chapter 2.6), Cat. 3
- Acute toxicity, inhalation (chapter 3.1), Cat. 2

# Safety Data Sheet

## Grit King Hand Cleaner

- Hazardous to the aquatic environment - acute hazard (chapter 4.1), Cat. 2
- Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 2

## 2.2 GHS label elements, including precautionary statements

### Pictogram



### Signal word

**Danger**

### Hazard statement(s)

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H226	Flammable liquid and vapor
H401	Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects

### Precautionary statement(s)

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash ... thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	[In case of inadequate ventilation] wear respiratory protection.
P302+P352	IF ON SKIN: Wash with plenty of water/...
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor/... if you feel unwell.
P321	Specific treatment (see ... on this label).
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or a rash occurs: Get medical advice/attention.
P342+P311	If experiencing respiratory symptoms: Call a POISON CENTER/doctor
P362+P364	Take off contaminated clothing and wash it before reuse.
P403+P233	Store in a well ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container to an approved waste disposal plant.
P210	Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/.../equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P370+P378	In case of fire: Use ... to extinguish.
P403+P235	Store in a well ventilated place. Keep cool.
P273	Avoid release to the environment.
P391	Collect spillage.

# Safety Data Sheet

## Grit King Hand Cleaner

### 2.3 Other hazards which do not result in classification

No data available.

#### Statement regarding ingredients of unknown toxicity (OSHA)

< .3% of this product consists of chemicals of unknown toxicity

---

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Other names / synonyms No data available.

Impurities and stabilizing additives No data available.

#### Hazardous components

##### 1. Component 1 (trade secret)

Concentration  $\geq 20 - \leq 50$  % (Volume)

- Flammable liquids (chapter 2.6), Cat. 3
- Skin corrosion/irritation (chapter 3.2), Cat. 2
- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3
- Aspiration hazard (chapter 3.10), Cat. 1
- Hazardous to the aquatic environment - acute hazard (chapter 4.1), Cat. 2
- Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 2

##### 2. Tergitol Type NP-4

Concentration  $\geq 4.7 - \leq 14.55$  % (Volume)

CAS no. 127087-87-0

- Acute toxicity, oral (chapter 3.1), Cat. 4
- Acute toxicity, inhalation (chapter 3.1), Cat. 4
- Eye damage/irritation (chapter 3.3), Cat. 1
- Hazardous to the aquatic environment - acute hazard (chapter 4.1), Cat. 2
- Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 2

H302+H332 Harmful if swallowed or if inhaled  
H318 Causes serious eye damage  
H411 Toxic to aquatic life with long lasting effects

##### 3. DIETHANOLAMINE

Concentration  $\geq 1 - \leq 2$  % (Volume)

EC no. 203-868-0

CAS no. 111-42-2

Index no. 603-071-00-1

- Skin corrosion/irritation (chapter 3.2), Cat. 2
- Acute toxicity, oral (chapter 3.1), Cat. 4
- Sensitization, respiratory (chapter 3.4), Cat. 1
- Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 4
- Eye damage/irritation (chapter 3.3), Cat. 2A
- Sensitization, skin (chapter 3.4), Cat. 1

# Safety Data Sheet

## Grit King Hand Cleaner

- Specific target organ toxicity, repeated exposure (chapter 3.9), Cat. 1

H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H413	May cause long lasting harmful effects to aquatic life

### 4. N-Butyl Acetate

Concentration	$\geq 1 - \leq 2$ % (Volume)
EC no.	204-658-1
CAS no.	123-86-4
Index no.	607-025-00-1

- Flammable liquids (chapter 2.6), Cat. 3  
- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3

H226	Flammable liquid and vapor
H336	May cause drowsiness or dizziness

### 5. Poly(oxy-1,2-ethanediyl), alpha-(dinonylphenyl)-omega-hydroxy-

Concentration	$\geq 0.1 - \leq 0.3$ % (Volume)
CAS no.	9014-93-1

- Hazardous to the aquatic environment - acute hazard (chapter 4.1), Cat. 1  
- Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 1

H410	Very toxic to aquatic life with long lasting effects
------	------------------------------------------------------

### Trade secret statement (OSHA 1910.1200(i))

Any concentration shown as a range is to protect confidentiality or is due to batch variation.  
While some substances are claimed as trade secret in accordance with the provision of OSHA 29 CFR 1910.1200(i), all known hazards are clearly communicated within this document.

---

## SECTION 4: First-aid measures

### 4.1 Description of necessary first-aid measures

General advice	No data available.
If inhaled	If irritation occurs, move to fresh air.
In case of skin contact	Prolonged skin contact may cause irritation or dermatitis.

# Safety Data Sheet

## Grit King Hand Cleaner

In case of eye contact	May cause slight to moderate irritation
If swallowed	May cause vomiting. Do not induce vomiting.
Personal protective equipment for first-aid responders	None required

### 4.2 Most important symptoms/effects, acute and delayed

No data available.

### 4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available.

---

## SECTION 5: Fire-fighting measures

### 5.1 Suitable extinguishing media

Use extinguishing media appropriate for surrounding fire.

### 5.2 Specific hazards arising from the chemical

No data available.

### 5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### Further information

Keep away from strong oxidizers.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

None identified

### 6.2 Environmental precautions

No data available.

### 6.3 Methods and materials for containment and cleaning up

Coat with absorbent material and place into container. Dispose of in state or federal approved land fill.

#### Reference to other sections

No data available.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practices.

### 7.2 Conditions for safe storage, including any incompatibilities

Ideal storage environment is in a climate controlled room. Exposure to heat will cause changes in color and consistency, and may cause the grit to fall to the bottom.

#### Specific end use(s)

Product was designed as a hand cleaner.

## **SECTION 8: Exposure controls/personal protection**

### **8.1 Control parameters**

#### **1. Component 1 (trade secret)**

TWA (Inhalation): 200 mg/m<sup>3</sup> (as total hydrocarbon vapor); USA (ACGIH)

#### **2. Component 1 (trade secret)**

TLV® (Dermal): 200 mg/m<sup>3</sup> (as total hydrocarbon vapor); USA (ACGIH)

Absorbed thorough skin

#### **3. DIETHANOLAMINE (CAS: 111-42-2 EC: 203-868-0)**

TWA (Inhalation): 2 ppm; USA (OSHA)

#### **4. DIETHANOLAMINE (CAS: 111-42-2 EC: 203-868-0)**

TLV® (Inhalation): 1 ppm; USA (ACGIH)

#### **5. n-Butyl-acetate (CAS: 123-86-4)**

PEL (Inhalation): 150 ppm (OSHA)

OSHA Annotated Table Z-1, [www.osha.gov](http://www.osha.gov)

#### **6. n-Butyl-acetate (CAS: 123-86-4)**

PEL (Inhalation): 710 mg/m<sup>3</sup> (OSHA)

OSHA Annotated Table Z-1, [www.osha.gov](http://www.osha.gov)

#### **7. n-Butyl-acetate (CAS: 123-86-4)**

STEL (Inhalation): 200 ppm (ACGIH)

OSHA Annotated Table Z-1, [www.osha.gov](http://www.osha.gov)

#### **8. n-Butyl-acetate (CAS: 123-86-4)**

TWA (Inhalation): 150 ppm, (ST) 200 ppm (ACGIH)

OSHA Annotated Table Z-1, [www.osha.gov](http://www.osha.gov)

### **8.2 Appropriate engineering controls**

None identified

### **8.3 Individual protection measures, such as personal protective equipment (PPE)**

#### **Eye/face protection**

Avoid contact with eyes

#### **Skin protection**

None identified

#### **Body protection**

None identified

#### **Respiratory protection**

None identified

#### **Thermal hazards**

None identified

#### **Environmental exposure controls**

None identified

---

## **SECTION 9: Physical and chemical properties**

# Safety Data Sheet

## Grit King Hand Cleaner

### Information on basic physical and chemical properties

Appearance/form	red, gel to liquid consistency as it gets older
Odor	Cherry
Odor threshold	No data available.
pH	No data available.
Melting point/freezing point	No data available.
Initial boiling point and boiling range	No data available.
Flash point	No data available.
Evaporation rate	No data available.
Flammability (solid, gas)	Not applicable
Upper/lower flammability limits	No data available.
Upper/lower explosive limits	No data available.
Vapor pressure	No data available.
Vapor density	No data available.
Relative density	No data available.
Solubility(ies)	No data available.
Partition coefficient: n-octanol/water	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.

### Other safety information

No data available.

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under normal use conditions.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

None under normal use conditions.

### 10.4 Conditions to avoid

Avoid storing in direct sunlight and avoid extremes of temperature.

### 10.5 Incompatible materials

Keep away from strong oxidizers.

### 10.6 Hazardous decomposition products

No data available.

---

## SECTION 11: Toxicological information

### Information on toxicological effects

#### Acute toxicity

DIETHANOLAMINE

LD50 Oral - Guinea pig - 2000 mg/kg

## Safety Data Sheet

### Grit King Hand Cleaner

Citation: Documentation of the Threshold Limit Values and Biological Exposure Indices," 5th ed., Cincinnati, OH, American Conference of Governmental Industrial Hygienists, Inc., 1986Vol. 5, Pg. 197, 1986.

#### DIETHANOLAMINE

LD50 Skin - Guinea pig - 11900 µg/kg

Citation: National Technical Information Service. Vol. OTS0516742

#### DIETHANOLAMINE

LDLo Skin - mammal (unspecified) - 3000 mg/kg

Citation: National Technical Information Service. Vol. OTS0520710

#### DIETHANOLAMINE

LD50 Intraperitoneal - Mouse - 210 mg/kg

Citation: National Technical Information Service. Vol. OTS0516742

#### DIETHANOLAMINE

LD50 Oral - Mouse - 3300 mg/kg

Result: BEHAVIORAL: EXCITEMENT

BEHAVIORAL: MUSCLE CONTRACTION OR SPASTICITY)

BEHAVIORAL: SOMNOLENCE (GENERAL DEPRESSED ACTIVITY)

Citation: Gigiena i Sanitariya. For English translation, see HYSAAV. Vol. 29(11), Pg. 25, 1964.

#### DIETHANOLAMINE

LD50 Skin - Rabbit - 7640 µg/kg

Result: BEHAVIORAL: ATAXIA

SKIN AND APPENDAGES (SKIN): "DERMATITIS, OTHER: AFTER SYSTEMIC EXPOSURE"

MUSCULOSKELETAL: OTHER CHANGES

Citation: National Technical Information Service. Vol. OTS0516797

#### DIETHANOLAMINE

LD50 Oral - Rabbit - 2200 mg/kg

Citation: Environmental Space Science. English Translation of Kosmicheskaya Biologiya Meditsina. 1967-70.Vol. 2, Pg. 289, 1968.

#### DIETHANOLAMINE

LD50 Intramuscular - Rat - 1500 mg/kg

Citation: Environmental Space Science. English Translation of Kosmicheskaya Biologiya Meditsina. 1967-70.Vol. 2, Pg. 289, 1968.

#### DIETHANOLAMINE

LD50 Intravenous - Rat - 778 mg/kg

Citation: Environmental Space Science. English Translation of Kosmicheskaya Biologiya Meditsina. 1967-70.Vol. 2, Pg. 289, 1968.

#### DIETHANOLAMINE

LD50 Oral - Rat - 620 µg/kg

Result: BEHAVIORAL: TREMOR

SKIN AND APPENDAGES (SKIN): HAIR: OTHER

SENSE ORGANS AND SPECIAL SENSES: LACRIMATION: EYE

Citation: National Technical Information Service. Vol. OTS0516797



# Safety Data Sheet

## Grit King Hand Cleaner

### DIETHANOLAMINE

LD50 Subcutaneous - Rat - 2200 mg/kg

Citation: Environmental Space Science. English Translation of Kosmicheskaya Biologiya Meditsina. 1967-70.Vol. 2, Pg. 289, 1968.

### DIETHANOLAMINE

LD50 Intraperitoneal - Rat - 120 mg/kg

Citation: Environmental Space Science. English Translation of Kosmicheskaya Biologiya Meditsina. 1967-70.Vol. 2, Pg. 289, 1968

### Component 1

LD50 Oral - Rat - > 5000 mg/kg

### Component 1

LD50 Skin - Rabbit - > 2000 mg/kg

### Tergitol Type NP-4

LD50 Oral - Rat - 960 - 3980 mg/kg

### Tergitol Type NP-4

LC50 Inhalation - Rat - 1.15 mg/l - 4 hr

### Tergitol Type NP-4

LD50 Skin - Rabbit - 2000 - 2991 mg/kg

Poly(oxy-1,2-ethanediyl), alpha-(dinonylphenyl)-omega-hydroxy-

Result: No data available

### Skin corrosion/irritation

#### Component 1

Result: Causes skin irritation

### Tergitol Type NP-4

Remarks: Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin.

### Serious eye damage/irritation

#### Tergitol Type NP-4

Remarks: Risk of serious damage to eyes.

### Respiratory or skin sensitization

#### Tergitol Type NP-4

Remarks: Patch test on human volunteers did not demonstrate sensitisation properties

### Germ cell mutagenicity

#### Tergitol Type NP-4

Remarks: In vitro tests did not show mutagenic effects

### Carcinogenicity

#### Tergitol Type NP-4

Remarks: Animal testing did not show any carcinogenic effects

### Reproductive toxicity

#### Tergitol Type NP-4

Remarks: Did not show teratogenic effects in animal experiments.

# Safety Data Sheet

## Grit King Hand Cleaner

### Summary of evaluation of the CMR properties

No data available.

### STOT-single exposure

Component 1

Result: Category 3. Narcotic effects

Tergitol Type NP-4

Result: No data available

### STOT-repeated exposure

Tergitol Type NP-4

Result: No data available

### Aspiration hazard

Component 1

Result: Aspiration hazard -- Category 1

Tergitol Type NP-4

Result: No data available

Remarks: Aspiration may cause pulmonary oedema and pneumonitis.

### Additional information

No data available.

---

## SECTION 12: Ecological information

### Toxicity

Component 1

LC50 - *Lepomis macrochirus* (bluegill) - 2200 µg/L - 4 days

Result: Acute

Tergitol Type NP-4

LC50 - *Pimephales promelas* (fathead minnow) - 3.8 - 602 mg/l - 96 hr

Tergitol Type NP-4

LC50 - *Daphnia magna* (water flea) - 9.3 - 21.4 mg/l - 48 hr

### Persistence and degradability

Tergitol Type NP-4

Result: < 60% -- According to the results of tests of biodegradability this product is not readily biodegradable.

Citation: OECD Test Guideline 301B

### Bioaccumulative potential

Tergitol Type NP-4

- Other fish

Result: Bioconcentration factor (BCF): 5.9 - 48

### Mobility in soil

Tergitol Type NP-4

Result: No data available

### Results of PBT and vPvB assessment

Tergitol Type NP-4

# Safety Data Sheet

## Grit King Hand Cleaner

Result: not available as chemical safety assessment not required/not conducted

### Other adverse effects

No data available.

---

## SECTION 13: Disposal considerations

### Disposal of the product

Offer surplus and non-recyclable solutions to a licensed disposal company.

### Disposal of contaminated packaging

Dispose of as unused product.

### Waste treatment

No data available.

### Sewage disposal

Not ideal for septic waste systems.

### Other disposal recommendations

No data available.

---

## SECTION 14: Transport information

### DOT (US)

Not hazardous if shipped in containers < 1.3 gallons.

UN Number:

Class:

Packing Group:

Proper Shipping Name:

Reportable quantity (RQ):

Marine pollutant:

Poison inhalation hazard:

### IMDG

UN Number:

Class:

Packing Group:

EMS Number:

Proper Shipping Name:

### IATA

UN Number:

Class:

Packing Group:

Proper Shipping Name:

---

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations specific for the product in question

#### California Prop. 65 Components

This product contains the following chemical known to the State of California to cause cancer: Diethanolamine

# Safety Data Sheet

## Grit King Hand Cleaner

### Canadian Domestic Substances List (DSL)

Status: Y

### Massachusetts Right To Know Components

Chemical name: Butyl acetate

CAS number: 123-86-4. Chemical name: Diethanolamine

CAS number: 111-42-2

### New Jersey Right To Know Components

Common name: DIETHANOLAMINE

CAS number: 111-42-2.  $\alpha$ -(4-Nonylphenyl)- $\omega$ -hydroxy-poly(oxy-1,2-ethanediyl) branched.

CAS # 127087-87-0. Common name: n-BUTYL ACETATE

CAS number: 123-86-4

### Pennsylvania Right To Know Components

Chemical name: Ethanol, 2,2'-iminobis-

CAS number: 111-42-2.  $\alpha$ -(4-Nonylphenyl)- $\omega$ -hydroxy-poly(oxy-1,2-ethanediyl) branched.

CAS # 127087-87-0. Chemical name: Acetic acid, butyl ester

CAS number: 123-86-4

### SARA 311/312 Hazards

Acute Health. Acute Health Hazard. Fire Hazard

Immediate (acute) health hazard. immediate (acute) health hazard

fire hazard

### SARA 313 Components

This product contains the indicated (\*) toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning & Community Right-To-Know Act of 1986 & of 40 CFR 372.

SARA Title III Ingredients	CAS #	EINECS#	WT%	(Reg. Section)	RQ(LBS)
* Diethanolamine	111-42-2	203-868-0	80-90	(313)	100
. Fire Hazard					
Immediate (acute) health hazard					

### Toxic Substances Control Act (TSCA) Inventory

Status: Y. This chemical is listed on the TSCA inventory. Any impurities present in this chemical are exempt from listing.

## 15.2 Chemical Safety Assessment

No data available.

---

## SECTION 16: Other information

### 16.1 Further information/disclaimer

PIC provides this SDS in good faith. The information provided in this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific product designated and may not be valid if product is used in combination with any other chemicals/materials or in any process, unless it is specified in the text of this SDS. No representation is made as to the accuracy or comprehensiveness of the data and PIC shall not be liable for any errors in the data. No representation is made as to the fitness of the data or of the materials for any particular use. No representation or warranty is made as to damages or injury. User assumes all responsibility for compliance with all laws and regulations implicated by use of this material.

### 16.2 Preparation information

Prepared by Craig Rolf