

**SILKY SMOOTH
SILICONE SPRAY**

This light duty, medium viscosity silicone product is formulated to provide excellent all around protection, lubrication and restoration properties without the use of ozone depleting chlorinated solvents. Use this product to reduce friction on cutting tables, sewing needles, knives and cutters. Protect and restore any rubber, plastic and vinyl parts with periodic coatings.

DIRECTIONS:

Clean surface to be treated. Remove cap and spray a thin film on surface from eight to ten inches away. Wipe away excess with a clean cloth. For hard-to-reach areas insert extension tube provided and spray as needed. NOTE: May harm painted or waxed finishes. Always test in an inconspicuous area before use.

DANGER:

Contains heptane. Harmful or fatal if swallowed. If swallowed, do not induce vomiting. Call a physician immediately. Extremely flammable. Do not use near fire, flame, or while smoking. Contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures in excess of 120°F. KEEP OUT OF REACH OF CHILDREN.

CAS NUMBERS: Heptane 142-82-5; Polydimethylsiloxane 63148-62-9; Isobutane/Propane Blend 75-28-5/74-98-6.

NOTE: This product is prohibited for sale or use in the following Volatile Organic Compound restrictive states: CA, DE, MD, ME, NH, NJ, NY, PA, DC and northern VA, and in the states of CT, IL, IN, MA, MI, OH, RI, VT and WI at the time of their effective date of regulation.

NFPA	
FIRE HAZARD	
3	
2	0
HEALTH HAZARD	REACTIVITY
SPECIAL	

H Health	2
F Flammability	3
R Reactivity	0
P Personal Protection	B

STOCK #70A201

Distributed By and Reorder From

PIC, INC.
4408 McLEAN

FT. WORTH, TEXAS 76117

To Reorder - CALL TOLL FREE 1-800-359-8031

PIC
INC

Silky Smooth

**Silicone Spray
Lubricant
Protects and Renews
No Chlorinated or
Fluorinated Solvents**

NET WT. 11 OZ.
(312 GRAMS)

DANGER:

HARMFUL OR FATAL IF SWALLOWED
EXTREMELY FLAMMABLE
CONTENTS UNDER PRESSURE
KEEP OUT OF REACH
OF CHILDREN.

Read other precautions on back panel.